



## C7216

### OPS ON-BOARD COMPUTER

Hisense Interactive displays comes with an OPS slot (Open Pluggable Specification) giving you the ability to integrate a computer in to the display. The integrated OPS computer utilises powerful Intel processors to bring you all the power of a desktop computer within the interactive display maximising its versatility and compatibility.



### Highlights



#### 10th Generation

10th Generation Intel desktop Core™ i5 CPU



#### MSATA System Disk

Support quick start of MSATA system disk and one click restore to enhance user experience



#### Update System to Win10 IoT Enterprise LTSC

Windows 10 IoT Enterprise is a streamlined version of Windows 10 that is designed for use on Internet of Things (IoT) devices.



#### HD Graphics

The standard Intel HD graphics 630 integrated graphics card supports h.265 and 4K



#### Support WiFi 5 and Wired Network



Wifi 5 or IEEE 802.11ac is the fifth generation of wireless networking standards in the IEEE 802.11 set of standards which provides high throughput in a wireless local area network (LAN)



#### Support Bluetooth 4.2

Version 4.2 makes Bluetooth smarter, faster and the ideal wireless technology supporting up to 1Mbps.

### Display Dimensions



Specifications

System

CPU	Intel Core™ I7-10700
RAM	16GB
SSD	256G
System	Win10 Iot Enterprise LTSC

Motherboard Interface

LAN	Integrated 10/100/1000M Adaption
WiFi	WiFi 5 11ac
Bluetooth	Bluetooth 4.2
USB 3.0	2
USB 2.0	2
HDMI Out	1
DP Out	1
VGA	N/A
Mic In	1
Line	1
HDD LED	1
Power LED	1

Power

Power Requirements	12V-19V DC
Max Power	90W
Standby Power	0.5W

Physical Specifications

Color	Black
Dimension L*W*H	180*195*30(mm)
Net Weight	1.4kg

Environmental Conditions

Operation Temperature	0 C - 40 C
Operation Humidity	10%-90%
Storage Temperature	-20 C - 60 C
Storage Humidity	10% - 90%